eceipt date: 06/21/2010

Sheet 1

JUN 2 1 2010

TRATE THAT

PTOSIDIGE (04-05)
Approved for use through 05/31/2009. 040690 8053-0031
U.S. Patlent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
U.S. Patlent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Office the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid office corred number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

of 1

Complete if Known
Application Number 10/573,487
Filing Date March 24, 2006
First Named Inventor Kiroomi KUWAHARA (Deceased)
Art Unit 3752
Examiner Name Ryan Alexander Reis
Attomey Docket Number KS 074

U. S. PATENT DOCUMENTS								
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ^{2 (F Answer)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevan Figures Appear			
	_	US-	 		r igures Appear			
	\vdash	US-	+					
	-	US-	+					
	-	US-						
	_	US-	+					
		US-	 					
		US-						
		US-			 			
		US-	1					
		US-						
-		US-	1					
		US-						
-		US-						
		US-						
		US-						
		US-						
		US						
		US-	T		1			
		US-						

Examiner Initials*	Cite No.1	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	₽ª
		Country Code ³ "Number ⁴ " Kind Code ⁵ (if known)				
	-	JP2917019	4/23/1999			
		JP2990604	10/15/1999			
		9	-			-

Signature /Ryan Reis/ Considered 06/30/2010

"EXAMINER! Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if in conformance and not considered include copy of this form with next communication to applicant. Applicant's undue citation designation number (options). "See kinds Codes of the communication of the patient document. When the communication of the patient document. When the appropriate symbols as indicated on the document under WIPO Standard ST.18 if possible. "Applicant is to place of each mist here if the impurity in the appropriate symbols as indicated on the document under WIPO Standard ST.18 if possible." "Applicant is to place of each mist here if the impurity in the possible is a characteristic and calculation of the patient document."

Iransiation is attached.
This collection of the property of the public which is to file (and by he University of property of p

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.